



KGM
SUPPRESSORS

MILITARY & LAW ENFORCEMENT CATALOG





TABLE OF CONTENTS

Rogue Alpha Hard Use Suppressor Family	3
R556A1 - Compact Hard Use Suppressor	4
R556A2 & R30A2 - Hard Use Suppressors	5
SMG9 - Submachine Gun Suppressor	6
ISURG - Integrally Suppressed Upper Receiver Group	7
Rogue Titanium Suppressor Family	8
R30T & R65T - Precision Titanium Suppressors	9
R30 - Precision Titanium Suppressor	10
R30K & R65K - Compact, Precision Titanium Suppressors	11
R338 - Large Magnum Titanium Suppressor	12
R50T - .50 BMG/Large-Bore Precision Titanium Suppressor	13
LMG-SD - Light Machine Gun Suppressor	14
M2-SD - Integrally Suppressed M2 Machine Gun Barrel	15
Accessories	16
Agency & Individual Sales	18
Government Sales Partners	19
Test & Evaluation Program	19

KGM designs, manufactures, assembles, and services products from our 40,000 sq ft facility in Peachtree Corners, GA.

KGM products are proudly made in the U.S.A.



Proudly made
in the U.S.A.



WARRANTY

We believe the best warranty is one you don't have to use. We also stand behind the quality of our products with confidence. Our commitment to quality and building a great product is reflected in our Limited Lifetime Warranty, a testament to the durability and reliability of our offerings.

We guarantee that our products will be free from defects in materials and workmanship for the life of the product under normal use. Should any such defects arise, we will repair or replace the item at our discretion, ensuring your continued satisfaction.

kgm-tech.com

info@kgm-tech.com

(770) 769-1496

4900 Avalon Ridge Parkway
Peachtree Corners, GA 30071

Rogue Alpha Hard Use Suppressors



R556A1



R556A2



R30A2



SMG9




Key Features

- **Durable Construction** - Crafted with rugged materials and laser-welded construction, the Rogue-Alpha ensures an extended service life, maintaining peak performance even during aggressive firing schedules.
- **Integrated Gas Flow (IGF) Design** - The innovative Integrated Gas Flow (IGF) design eliminates over-gassing in semi-systems and also reduces toxic gases for the shooter, enhancing safety and comfort during operation. The Rogue-Alpha family typically offers sub-10% change in bolt speed of the host firearm.
- **Advanced Baffle Design** - Engineered to direct and disrupt gas flow as soon as possible, the Rogue-Alpha achieves superior flash and recoil reduction in addition to reducing sound. This design not only enhances shooter control but also contributes to maintaining precision in rifle accuracy.

Incredible Durability

The Rogue Alpha Suppressor line is built to meet and exceed the harshest of US SOCOM durability standards. In testing, the nickel alloy core has enabled surpassing twenty cycles of the rigorous SOCOM SURG test. This 240-round test involves sustained semi-automatic and full-automatic firing in a short amount of time.



R556A1 Compact Hard-Use Suppressor

The R556A1 is a reduced backpressure, compact “K” suppressor that mitigates the sound, flash and concussion of 5.56 and 6mm rifles and carbines.



The R556A1 utilizes the QD Flash Hider, shipping with a 1/2x28 mount. Additional thread pitch flash hidere are available in the following thread pitches:

- 5/8x24
- 3/4x24 Muzzle Index (SR25)
- M15x1 (HK)
- M11.5x1 (HK MP7)



The KGM R556A1 is a compact and capable suppressor designed to meet and exceed SOCOM durability testing, enhance rifle accuracy, provide superior repeatability, reduce sound signature, and have minimal impact on a rifle's operating system. Being constructed of nickel alloy and stainless steel, the R556A1 will withstand significant round counts over a long service life. This suppressor excels on any semi- or fully automatic carbine, providing very minimal backpressure.

This is achieved by efficiently managing gas flow throughout the suppressor to vent forward, which also reduces toxic gases going back to the shooter. By also redirecting the gas flow away from the bullet's flight path, the R556A1 enhances the precision of the host rifle. This engineered gas flow within the suppressor serves to significantly reduce recoil and enable greater shooting performance.



Caliber

5.56 NATO, 6 ARC

Length

4.85" (123 mm)

Width

1.75" (44.5 mm)

Weight (w/o mount)

16 oz (450 g)

Construction

Nickel Alloy & Stainless Steel

Muzzle Attachment

QD Flash Hider, 1/2x28

Colors Available

Black

FDE





Caliber

R556A2 - 5.56 NATO, 6 ARC

R30A2 - 7.62 NATO/.308

Length

6.4" (162 mm)

Width

1.75" (44.5 mm)

Weight (w/o mount)

19 oz (552 g)

Construction

Nickel Alloy & Stainless Steel

Muzzle Attachment

QD Flash Hider, 1/2x28 (R556A2)

QD Flash Hider, 5/8x24 (R30A2)

Colors Available

Black	
FDE	

R556A2 & R30A2 Hard-Use Suppressors

The R556A2 and R30A2 are reduced backpressure suppressors that mitigates the sound, flash and concussion of 5.56/6mm and 7.62mm rifles.



These models were designed to meet and exceed SOCOM specifications for full-auto firing, while enhancing rifle accuracy, providing superior repeatability, while maximizing sound suppression, and have minimal impact on a rifle's operating system. Both suppressors are built to last, consisting of high-quality nickel alloy and stainless steel components that are laser welded together, ensuring an extended service life, even after enduring years of hard use.

The R556A2 is a full-size 5.56 suppressor that offers superior sound performance, offering sub-140 dB performance at the ear on even short (10.5-11.5") barreled rifles.

The R30A2 is ideally suited to suppressing battle rifles or functioning as a dual-use 7.62 and 5.56 carbine suppressor.



SMG9 Submachine Gun Suppressor

The KGM SMG9 is a purpose-built submachine gun/PDW suppressor, capable of handling even full-auto fire with supersonic .300 Blackout ammunition.



Engineered with precision, the SMG9 efficiently manages gas flow to minimize disruption to the host weapon's performance. By redirecting gas away from the bullet's flight path, precision is enhanced, while the engineered gas flow passes through the suppressor to reduce flash, recoil, and sound—ensuring superior accuracy, repeatability, and sound suppression.

Built to endure, the SMG9 boasts high-quality materials and a fully welded construction, guaranteeing an extended service life even under the rigors of years of hard use. The KGM multimount system allows the user to change how the suppressor attaches, with options for a variety of muzzle threads and a 3-lug mount available. Elevate your submachine gun or PDW experience with the reliable and high-performance KGM SMG9 suppressor.



Caliber
9mm, .300 Blackout, .350 Legend

Length
5.6" (142 mm)

Width
1.5" (38 mm)

Weight (w/o mount)
12 oz (340 g)

Construction
Stainless Steel

Muzzle Attachment
Direct Thread, 1/2x28

Color Available
Black

The SMG9 ships with a 1/2x28 direct thread adapter, but additional adapters are available in the following thread pitches:

- 1/2x28
- 1/2x36
- 5/8x24
- M13.5x1 LH

The SMG9 has a 3-lug mount available for fast-attachment to your favorite submachine gun.



**Caliber**

5.56 NATO

Length

23.9" (Overall Upper Length)

Weight

5.2 lb (2.35 kg)

Barrel Specs

11.5"*, 1/7 twist, Carbine Gas (5.56)

*P/W for 16.7" OAL barrel length

Barrel Finish

Gas Nitride

Suppressor Construction

Stainless Steel

Rail Specifications

15" length, MLOK compatible

Colors Available

Black



The KGM Integrally Suppressed Upper Receiver Group (ISURG) is purpose-built for 100% suppressed shooting, excelling in reduced fouling, reduced toxic gases back to the shooter and maximum sound suppression. As a dedicated suppressed upper, the gas system is tuned to ensure reliable function with a wide spectrum of ammunition types.

The suppressor is integrated with the gas block, which is pinned to the barrel to achieve a 16.7" overall length barrel, balancing compactness with legal compliance. The handguard has MLOK slots at the 3, 6, and 9 o'clock positions. This URG is compatible with any mil-spec AR-15 lower, and the ISURG is out of the box ready with a full-auto BCG, charging handle and Back-Up Iron Sights (BUIS).

The ISURG is available chambered in 5.56 NATO/.223 Rem and designed to operate with a wide variety of ammunition.



KGM offers a mil-spec lower receiver group as an option to make complete rifles for LE/MIL agencies.

Rogue Titanium (Ti) Suppressors



The Rogue-Ti Suppressor line is our commitment to signature reduction and precision capability on any applicable host rifle. With a variety of options from the compact R65K/R30K to the mighty R50, each suppressor is a capable combination of features suited to each rifle/caliber system.

Key Features


- **Light and Capable Construction** - Constructed of titanium and laser-welded together, the Rogue-Ti models are durable but lightweight for carrying all day.
- **Adjustable Port End Cap (APEC)** - Equipped models feature the APEC, allowing shooters to customize their shooting experience by adjusting ports for sound reduction, maximizing gas flow, or finding the perfect recoil impulse.
- **Precision Suppressors** - The internal baffle design coupled with precision manufacturing processes ensures consistent performance, minimizing point-of-impact changes and enhancing the precision of the host rifle.
- **Reduced Sound and Signature** - Experience reduced sound, flash, and pressure, along with tonal sound changes, effectively decreasing shooter signature. This maximizes the shooter's overall effectiveness in critical situations.
- **HUB Mount Compatible or Taper Muzzle Brake** - Model dependent, Rogue-Ti models either have HUB (1.375x24) threads incorporated for mounting option flexibility, or the KGM Taper Muzzle Brake to enhance suppressor attachment and longevity.



R30K & R65K



R30T & R65T



R30



R338



R50T

R30T & R65T Precision Rifle Suppressor

The KGM R30T has been tested, selected and is in-service with many local, state, and federal agencies as their precision rifle suppressor of choice.

The R30T & R65T attach to the rifle via KGM Taper Muzzle Brakes. A 5/8x24 brake is included. Additional muzzle brakes are available in the following thread pitches:

- 1/2x28
- 5/8x24
- 3/4x24 Muzzle Index (SR25)
- M18x1



Caliber

.30 cal, up to .300 Norma (R30T)
6.5mm - up to 6.5 magnums (R65T)

Length

7.3" (185 mm)

Width

1.75" (44.5 mm)

Weight (w/o mount)

13 oz (368 g)

Construction

Titanium

Muzzle Attachment

Taper Muzzle Brake, 5/8x24

Colors Available

FDE 



The KGM R30T and R65T are precision rifle suppressors that set the standard for accuracy, repeatability, recoil reduction, and remarkably quiet sound suppression. The R30T was competitively tested and selected for the Department of Justice for multiple agency precision rifle programs.

To achieve its performance, the baffles efficiently manage gas flow, redirecting the gas away from the bullet's flight path to enhance precision. At the same time, the engineered gas flow passes through the suppressor to significantly reduce flash, recoil, and noise. The Adjustable Port End Cap (APEC) feature allows tuning of external gas flow to help direct muzzle movement during recoil or maximize sound suppression.

The R30T is capable of handling cartridges up to .300 Norma magnum, while the R65T can handle any 6.5 caliber cartridge. The R30T and R65T attach via a taper-lock muzzle brake, ensuring precise attachment and increasing suppressor service life.

R30 Precision Rifle Suppressor

The KGM R30 is a lightweight titanium suppressor that enhances precision, reduces recoil, and minimizes the sound and concussion of any rifle.



The KGM R30 is a one-size fits most type suppressor for rifles. Constructed of machined titanium components, laser welded together, and engineered to last tens of thousands of rounds, the R30 will withstand heavy use with even .30 caliber magnum cartridges such as .300 PRC, .300 Win Mag and .300 Norma.

Like all KGM suppressors, the gas flow is redirected away from the bullet's flight path to avoid disruptions in precision. At the same time, the gas flow is engineered to reduce flash, recoil, and sound. The Adjustable Port End Cap (APEC) feature allows tuning of external gas flow to help direct muzzle movement during recoil or maximize sound suppression.

The R30 has rear 1.375x24 TPI (HUB) threads for maximum mounting flexibility and are equipped with a titanium 5/8x24 direct thread adapter.



Caliber

.30 cal, up to .300 Norma

Length

7.3" (185 mm)

Width

1.75" (44.5 mm)

Weight (w/o mount)

12 oz (340 g)

Construction

Titanium

Muzzle Attachment

HUB Direct Thread Adapter, 5/8x24

Colors Available

Sniper Grey

R30K & R65K Compact Precision Rifle Suppressors

The KGM R30K and R65K are compact and lightweight rifle suppressors that are ideally suited on compact precision rifles and precision gas guns.

This shorter model is the little brother to the R30, further reducing size and weight on the end of the muzzle. Due to its shorter size, it moves the expanding gas through the suppressor faster, offering great recoil reduction and reduced back pressure on semi-auto rifles. The gas flow is engineered to reduce flash, recoil, and sound. The Adjustable Port End Cap (APEC) feature allows tuning of external gas flow to help direct muzzle movement during recoil or maximize sound suppression.

The R30K and R65K are constructed of machined titanium components, laser welded together, and engineered to last for tens of thousands of rounds.

Both the R30K and R65K have rear 1.375x24 TPI (HUB) threads for maximum mounting flexibility and are equipped with a titanium 5/8x24 direct thread adapter.



Caliber

.30 cal, up to .300 Norma (R30K)
6.5mm - up to 6.5 magnums (R65K)

Length

5.8" (147 mm)

Width

1.75" (44.5 mm)

Weight (w/o mount)

10 oz (284 g)

Construction

Titanium

Muzzle Attachment

HUB Direct Thread Adapter, 5/8x24

Colors Available

Sniper Grey

KGM suppressors with HUB 1.375x24 threads allow for a variety of attachment options. A titanium direct thread adapter in 5/8x24 is included, additional thread pitches are available:

- 1/2x28
- 5/8x24
- 3/4x24 Muzzle Index (SR25)
- 3/4x24



R338 Magnum Precision Rifle Suppressor

The R338 successfully tames and quiets large magnums such as the .338 Lapua, .338/.300 Norma and .300 PRC.

The KGM R338 redefines precision for magnum-caliber rifles, setting a benchmark in suppressors for long-range shooters. Crafted with precision from Grade 5/9 titanium and laser-welded, it strikes an optimal balance in size, strength, weight, and sound reduction, meeting the specific demands of large-caliber firearms.

Engineered for precision, the R338 exceeds expectations with its advanced gas flow design, intelligently redirecting gas to enhance accuracy and significantly reduce sound, recoil, and flash. The Adjustable Port End Cap (APEC) feature allows tuning of external gas flow to help direct muzzle movement during recoil or maximize sound suppression.

The R338 utilizes a taper-lock muzzle device to ensure a precise, secure, and repeatable attachment, while also extending the suppressor's service life. This suppressor stands as the premier choice for .338 Lapua, .338/.300 Norma, and other large magnum cartridges, offering unmatched performance.



Caliber

.338 cal

Length

9.1" (231 mm)

Width

1.87" (47.5 mm)

Weight (w/o mount)

19 oz (538 g)

Construction

Titanium

Muzzle Attachment

Taper Muzzle Brake, 3/4x24

Colors Available

Sniper Grey 



The R338 attaches to the rifle via the same KGM Taper Muzzle Brakes that work with the R30T. A 3/4x24 brake is included. Additional muzzle brakes are available in the following thread pitches:

- 1/2x28
- 5/8x24
- 3/4x24 Muzzle Index (SR25)
- M18x1



R50T Large Caliber Titanium Suppressor

The R50T tames large-caliber rifles, including .50 BMG, .416 Barrett, .408/.375 CheyTac, and similar cartridges.

The R50T attaches to the rifle via KGM Taper Muzzle Devices. The R50T includes a 1x24 mount. Additional thread pitch flash hiders are available in the following thread pitches:

- 1x14
- 7/8x14
- M24x1
- M24x1.5



Caliber

.50 cal, up to .50 BMG

Length

14" (356 mm)

Width

2.25" (57 mm)

Weight (w/o mount)

46 oz (1,315 g)

Construction

Titanium

Muzzle Attachment

Taper Muzzle Device, 1x14

Colors Available

Sniper Grey 

The R50T suppressor stands as the pinnacle solution for .50 BMG and other large-caliber precision rifle users. Crafted of titanium and laser welded together, the R50T strikes the perfect balance between size, strength and weight for large-caliber rifles.

Engineered for precision, the R50T exceeds expectations with its performance. By moving gas away from the bullet, this suppressor not only maximizes accuracy, it drives the gas internally to significantly reduce sound, recoil, and flash, making it a comprehensive solution for those seeking peak performance from their .50 BMG rifles. The R50T features a shrouded end-cap design, further elevating its capabilities to minimize both sound and flash signatures.

The incorporation of a taper-lock muzzle device ensures a secure fit and improved suppressor service life. KGM offers muzzle threads patterns for most popular .50 BMG rifles, and can manufacture customized muzzle device patterns. The R50T is the unparalleled class-leader in .50 BMG and other large-caliber rifles suppressors.



LMG-SD Light Machine Gun Suppressor

The LMG-SD is ideally suited to dedicated light machine gun use, such as with the ubiquitous M249, M240/MAG-58, or PKM machine guns.



The KGM LMG-SD is a robust suppressor designed to excel in suppressing belt-fed machine guns, minimally impacting the host operating system, while also reducing toxic gas blowback and heat transfer.

Constructed to withstand the rigors of heavy use on belt-fed machine guns, the LMG-SD incorporates high-quality nickel alloy and stainless steel components, meticulously laser-welded for durability. This ensures an extended service life even after years of rigorous use.

Designed to handle sustained fire, the LMG-SD excels in versatility and durability, meeting the demanding requirements of belt-fed machine gun applications. The LMG-SD is well-suited for common belt-fed models such as M240, M249, M60, and PKM.



Caliber

.30 caliber
5.56 NATO, 7.62 NATO, 7.62x54R

Length

6.4" (162 mm)

Width

2.75" (70 mm)

Weight (w/o mount)

41 oz (1,162 g)

Construction

Nickel Alloy & Stainless Steel

Muzzle Attachment

LMG-SD Flash Hider
25/32x24, 1/2x28
5/8x24, M18x1.5 LH

Colors Available

Black
FDE

M2-SD Integrally Suppressed M2 Machine Gun Barrel

The M2-SD is a groundbreaking integrally suppressed solution designed to significantly reduce sound, flash, and ground signature for M2 weapon systems.

Engineered as a direct replacement barrel for the M2-HB, M2-QCB and M2A1 variants, the M2-SD seamlessly integrates without altering weapon system timing and operation.

A standard OEM M2 barrel with a Stellite® lined chamber and chrome-lined barrel serves as the basis, and the M2-SD suppressor has been designed to last for the length of the barrel life. The M2-SD can be re-cored and/or attached to a new barrel as part of a life cycle service program, maintaining suppressor serial numbers.

The .50 BMG has long been recognized for the blast exposure to operators and those nearby. The M2-SD significantly reduces overpressure exposure to the shooter and any bystander, enhancing long-term safety, increasing effectiveness, and enhancing training opportunities.

The M2-SD can be optimized to specific M2 variants or applications.





Quick Detach Flash Hider

Flash hider for quick detach suppressors.
Includes pre-drilled hole for 14.5" P&W to 16"
Construction: Steel with OxYn Nitride finish
Fits: R556A1, R556A2, R30A2, R30A1*, R556*
HUB QD Adapter
**Discontinued models*

Available Thread Pitches

- 1/2x28
- 5/8x24
- 3/4x24
- 3/4x24 Muzzle Index (SR25)
- M15x1 (HK)
- M11.5x1 (HK MP7)



Taper Muzzle Brake

Muzzle brake with threads and tapered shoulder for taper muzzle brake suppressors.
Construction: Steel with OxYn Nitride finish
Fits: R30T, R65T, R338

Available Thread Pitches

- 1/2x28
- 5/8x24
- 3/4x24
- 3/4x24 Muzzle Index (SR25)
- M18x1



R50 Taper Muzzle Device

Muzzle device with threads and tapered shoulder for R50 and R50T suppressors.
Construction: Steel with OxYn Nitride finish
Fits: R50, R50T

Available Thread Pitches

- 7/8x24
- 1x14
- M24x1
- M24x1.5



HUB (1.375x24) Direct Thread Adapter

Attach your HUB suppressor directly to your muzzle threads.

Construction: Steel or Titanium

Fits: R30, R30K, R65K, R30XL, R65*, R6* or any HUB compatible suppressor.

**Discontinued models*

Available Thread Pitches

- 1/2x28
- 5/8x24
- 3/4x24
- 3/4x24 Muzzle Index (SR25)
- M15x1 (HK)
- M11.5x1 (HK MP7)



HUB Quick-Detach Adapter

Allows use of KGM QD flash hidere with your HUB compatible suppressor. *FH not included.*

Construction: Steel with OxYn Nitride finish

Fits: R30, R30K, R65K, R30XL, R65*, R6* or any HUB compatible suppressor.

**Discontinued models*



Shown on R30K



SMG9 Muzzle Adapters

Direct thread adapters for attaching SMG9 to different barrel threads. 3-Lug adapter for use with various tri-lug equipped SMG barrels.

Construction: Steel with OxYn Nitride finish

Fits: SMG9

Available Thread Pitches

- 1/2x28
- 1/2x36
- 5/8x24
- M13.5x1 LH
- 3-Lug Adapter



Sig P320/M17/M18 Enhanced Trigger Kit

The KGM P320 Enhanced Trigger Kit represents an upgraded ensemble of components meticulously designed to elevate the speed and precision of your P320/M17/M18 pistol. The components are all designed for extended service life, reduced trigger pull weight, improved trigger reset, and heightened reliability, while being drop-safe, meeting the stringent NIJ-STD-0112.03 and ANSI/SAAMI Z299.5-2015 standards.



Agency Sales

KGM Suppressors offers products to agencies through sales partners and via direct sales depending on customer and product needs.

KGM offers agencies

- Test & Evaluation samples pending availability
- Payment terms for government purchase orders
- Testing of suppressors with agency host firearm and/or ammunition for sound, flash, recoil, and/or bolt speed with agency provided firearm and/or ammunition.
- Service/maintenance program
- Factory tours

LE/Military Individual Sales

KGM Suppressors is proud to offer an individual service member/first responder discount program. Products are available via ExpertVoice, or via direct sale if eligible. Email sales@kgm-tech.com with appropriate documentation or with questions.

Law Enforcement

- Sworn law enforcement officers with powers of arrest, including Federal, State, County, City, and Tribal (also includes retired with “retired” credentials.)
- Corrections Officers, including Parole and Probation Officers
- Nationally recognized security company, state-licensed security companies, and state/city-licensed security officers
- Federal Flight Deck Officers
- Court Judges, District Attorneys (including Assistant and Deputy District Attorneys), and Solicitors (including Assistant and Deputy Solicitors)
- Law enforcement academy cadets

First Responders

- Full and Part time (volunteer) firefighters
- EMT, tactical EMT or Paramedic – employed by a fire department, law enforcement agency or ambulance service (certifications alone do not qualify)

Military Service

- Active, Reserve or National Guard personnel with ID (also includes “retired” ID.)
- Veterans honorably discharged from service. (DD214 or other redacted discharge documentation)

KGM LE/Mil Events

KGM representatives travel to many industry, government, and commercial events throughout the year.

Some of the events you can find a KGM representative in attendance are:

- SHOT Show
- Enforcetac
- NRA Annual Meetings
- SOFWeek
- ADS Warrior East
- GTOA/ATOA Annual Conference
- SWAT Roundup
- Ohio Tactical Officers Association (OTOA) Conference
- Texas Tactical Peace Officers Association (TTPOA) Conference
- USASOC Sniper Competition Vendor Show
- CT SWAT Challenge



Government Sales Partners

Some of our law enforcement/government sales partners:

- American Defense MFG – 262-780-9831 – New Berlin, WI
- Atlantic Diving Supply (ADS) – 866-845-3012 – Virginia Beach, VA
- Clyde Armory – 706-549-1842 – Athens, GA
- Lawmen Supply of New Jersey – 302-363-5495 – Cherry Hill, NJ
- PAI Defense – 517-652-4670 – Columbia City, IN
- Sentinel MN – 763-350-7500 – Loretto, MN
- SRT Supply – 727-526-5451 – St. Petersburg, FL
- SSD International – 407-410-6914 – Apopka, FL
- Safeware Inc – 800-331-6707 – Maryland



For agency transfers, whether a T&E or a sale, these are tax-exempt transactions, not subject to the \$200 transfer tax of an individual sale. The agency ORI number is needed for the transaction.

What is an agency ORI number?

ORI - Originating Agency Identifier

This is a unique identifying number assigned by the FBI CJIS. This number is submitted along with other agency information to BATFE on a tax-free Form 5 for an agency.

Test & Evaluation Program

KGM Suppressors offers an agency direct Test and Evaluation (T&E) program for agencies and departments. KGM representatives can also make a visit for demonstrations pending schedule availability. Additionally, KGM has several law enforcement sales partners that can also fulfill product evaluations for agencies.

Agencies may request T&E products by contacting sales@kgm-tech.com

Products may be shipped directly to the agency after proper BATFE forming. A signed bailment agreement and responsible party will be required from the agency. Typical T&E periods are 30-90 days, with special requests considered around product availability.



 kgm-tech.com

 info@kgm-tech.com

 (770) 769-1495

 4900 Avalon Ridge Parkway
Peachtree Corners, GA 30071



#KGMsuppressors

